

A Miniratna Company (Govt. of India Undertaking) Marketing & Sales Department

Reg. Office: Darbhanga House, Ranchi Jharkhand-834 001

> Phone: (0651), 2360369 Fax: (0651) 2360369

CINNO: U10200JH1956G0I000581 E-mail: gmsnm.ccl@coalindia.in

संख्या: CCL/HQ/C-4/RS/2024-25/31

दिनांक: 04.01.2025

## सूचना / NOTICE

विषय: Notice for all NRS Consumers(Coking coal Steel subsector) having FSA under Linkage Auction from 'Rajrappa OCP' as Primary Source for the quota of Nov'24.

This is for kind information to all consumers of Coking coal Steel subsector under NRS Linkage Auction Scheme having FSAs of W-III ROM coal from 'Rajrappa OCP' as Primary source that as per Linkage Auction Policy of CIL, concerned consumers are hereby provided a dispensation to book/ lift W-III ROM coal from Topa OCP (Tertiary Source) to the tune of 100% linked quantity against such FSAs of W-III ROM coal from Rajrappa OCP (Primary Source).

As of now, such dispensation is being extended for the quota of Nov'24 month and Sale Orders shall be issued accordingly from date of issuance of this notice. For Sale orders against Rajrappa OCP that have already been issued and sent to area, fresh sale orders will be issued after closing of Sale Orders by Rajrappa Area.

For supply of coal from Tertiary Source(s), Original % bid premium of the bidder as per the FSA shall be applicable for such supply from the tertiary source. This dispensation shall be optional to the consumer and non-acceptance of supply from tertiary source shall not attract penalty.

Last date for coal value deposition for aforesaid shall be 17.01.2025

This is issued with approval of competent authority.

Dy. Manager (M&S/RS)

सादर सूचनार्थ हेत:

1. GM (M&S), CCL

- 2. GM (Kuju) Area / GM (Rajinhh) Aren
- Sr. Mgr (M&S/Co-od), CCL
- Sr. Manager (FSA), CCL
- Manager (M&S/CSC), CCL
- 6. ASM (Rajrappa Area):- with a request to close DOs as above so that further action can be taken in this regard by CSC.
- 7. ASM (Kuju Area)
- 8. Notice Board, M&S Deptt/ Notice Board, CSC, CCL, Ranchi